











# PLANTER PARTS FOR JOHN DEERE® SCRAPERS AND ARMS

		PART NO.	REPLACES	DESCRIPTION
 <p>RH LH</p>	<b>864-RS231K</b>	BA28945	Rotating disc scraper kit with nylon covers. Includes two wheels, spring and LH, RH arms. For models 1530, 1535, 1700, 1760, 1780, 7000, 7100, 7200, 7300, 7340.	
	<b>864-RS331K</b>	—	Rotating disc scraper kit with all metal wheels. Includes two wheels, spring and LH-RH arms. For models 1530, 1535, 1700, 1760, 1780, 7000, 7100, 7200, 7300, 7340.	
 <p>RH LH</p>	<b>864-RS221</b>	AA37221	Rotating disc scraper wheel with nylon cover. (See kit RS-231K picture)	
	<b>864-RS315</b>	AH133315	Rotating disc scraper all metal wheel. (See kit RS-331K picture)	
 <p>LH RH</p>	<b>864-RS735</b>	AA35734	Scraper arm, left hand. Used with RS-231K, RS-331K, 7012102 kits.	
	<b>864-RS734</b>	AA35735	Scraper arm, right hand. Used with RS-231K and RS-331K, 7012102 kits.	
 <p>SMA98180KIT</p>	<b>864-SMA98180KIT</b>	A98182, A98183, A50047	Scraper kit with SMA-99160KIT. Fits 1705 to 1795 and DB44 to DB120 planters.	
	<b>864-SMA50047</b>	A50047	Spring for scraper kits RS231K, RS331K, SMA99160KIT, and SMA98180KIT.	
 <p>Right Left</p>	<b>488-123012L</b>	AA26444	Scraper, left hand for models 7000, 7100.	
	<b>488-123012R</b>	AA26443	Scraper, right hand for models 7000, 7100.	
	<b>488-123637</b>	A32637	Seeder blade scraper for models 7000, 7100.	
	<b>488-1237104</b>	A22778	Dirt shield for models 7000 thru 7100.  123637	
<b>TUNGSTEN CARBIDE BLADE SCRAPER KITS</b>				
 <p>SMA99180KIT</p>	<b>864-SMA99180KIT</b>	A98182, A98183, A50047	HD Scraper kit with 1 each right hand, left hand carbide blades and spring (A50047). Fits 1705 to 1795 and DB44 to DB120 planters.	
	<b>864-SMA99160KIT</b>	—	HD Scraper kit with 1 each left hand, right hand carbide blades, LH, RH arms and spring (A50047). Fits 7200 and newer, XP, XP Pro, MaxEmerge Plus, MaxEmerge 2.	
 <p>SMA99160KIT</p>	<b>864-7012102</b>	AA62559	HD Scraper kit with 1 each left hand, right hand carbide blades Only.	
	<b>864-7012101</b>		Carbide scraper blade left hand.	
	<b>864-7012100</b>		Carbide scraper blade right hand.	
	<b>970-B22P</b>		Hitch Pin Clip 5/64" x 1-5/16". Sold Per Bag, 10 Per Bag.	
		 7012101	 7012100	




To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket

# PLANTER PARTS FOR JOHN DEERE®

## GAUGE WHEEL DEPTH CONTROL & PARALLEL LINKAGE

PART NO.	REPLACES	DESCRIPTION
<b>GAUGE WHEEL DEPTH CONTROL HARDWARE</b>		
<b>864-SMA82772K</b>	KIT	Rocker Body Kit for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, XP, XP Pro, 1530 and 1535. Includes A82773 Stop, A62609 Pivot and A58670 Shoulder Bolt. Mounting Bolt Not Included.
<b>864-SMA57482</b>	AA57482	Rocker Body with Mounting Hardware (bolt and bushing) for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), 1530. Shoulder Bolt and Rocker Pivot Not Included.
<b>864-SMA62609</b>	A62609	Rocker Pivot for Walking Gague Wheels. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), XP, XP Pro, MaxEmerge 5, 1530, 1535.
<b>864-SMA58670</b>	A58670	Shoulder Bolt for Rocker Body. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), XP, XP Pro, MaxEmerge 5, 1530, 1535.
<b>PARALLEL LINKAGE</b>		
<b>864-SMA76223</b>	A76223	Upper Parallel Arm, Standard 15.75" Length, 2 Used. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>864-SMA52092</b>	A52092	Lower Parallel Arm, Standard 15.75" Length, 1 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>864-SMA61571</b>	A61571	Upper Parallel Arm, Extended 23" Length, 2 used. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>864-SMA84382</b>	A84382	Lower Parallel Arm, Extended 23" Length, 1 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>864-SMA48515</b>	A48515	Parallel Arm Bushing, 9/16" Wide, Up to 7 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>864-SMA49465</b>	A49465	Parallel Arm Bushing, 21/32" Wide, Up to 2 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro.
<b>864-SMA78121</b>	A78121	Parallel Arm Bushing, 13/16" Wide, 1 Used Per Row Unit. Fits Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
<b>488-123044</b>	A43609	Down Pressure Spring for MaxEmerge, 2, Plus, Pro, XP, XP Pro Units.
<b>488-123068</b>	AA28046	HD Down Pressure Spring with Plug for MaxEmerge 7000, 7100 Series.
<b>488-123052</b>	AB10071	Down Pressure Spring with Plug for MaxEmerge 7000, 7100 Series.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**DISC OPENER ASSEMBLIES**

PART NO.	REPLACES	DESCRIPTION
<b>864-SMA55927</b>	AA55927, AA37474	15" x 3mm Thick Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 120 per Box -
<b>864-SMA53860</b>	AA53860	15" x 3.5mm Thick HD USA Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 120 per Box -
<b>864-JD8 60</b>	—	15" x 3.5mm Thick, HD Import Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 156 per Box -
<b>864-SMA65248</b>	AA65248	15" x 3.5mm Thick HD USA Blade, Double-row Bearing with SMA78218 Dust Cap. For XP, XP-Pro, 1530 TruVee Drill, 1535 Integral Drill, ExactEmerge and MaxEmerge 5. - Standard Pack 100 per Box -
<b>864-HD65248</b>	AA65248	HD with Cast Hub 15" x 3.5mm Thick USA Blade, Double-row Bearing with SMA78218 Dust Cap. For XP, XP-Pro, 1530 TruVee Drill, 1535 Integral Drill, ExactEmerge and MaxEmerge 5. - Standard Pack 100 per Box -
<b>864-SMA48879</b>	A48879	Opener Guard MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro. For Models 1530, 1535, 1760, 1780, 7200, 7300, XP Planter
<b>DUST CAPS &amp; BEARINGS</b>		
<b>488-SMA52024</b>	A52024	Dust Cap, Rubberized Plastic for Disc Opener Assemblies 55927 and 53860
<b>488-SMA78218</b>	A78218	Dust Cap, Rubberized Plastic for Disc Opener Assembly SMA65248
<b>851-SMA59196</b>	A59196	AgSmart Double-row Bearing for SMA65248 Disc Opener Assembly.
<b>851-K21480</b>	—	Bearing for SMA55927 and SMA53860 Disc Opener Assemblies
<b>COULTER BLADES</b>		
<b>845-W72678</b>	A72678	16" 13-Wave, 3/4" Wide, .177 Thick, 4-3/4" Bolt Circle, 5-Bolt Pattern. Fits MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535
<b>845-W72680</b>	A72680	16" 25-Wave, 5/8" Wide, .177 Thick, 4-3/4" Bolt Circle, 5-Bolt Pattern. Fits MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535
<b>COVERING DISC</b>		
<b>864-SMA58321</b>	AA33061 AA58321	Covering Disc Assembly, 8" with Bearing, Hub and Bolt for Disc Closing Attachment Unit. For Models 7200, 7300, 1705, 1720, 1725, 1760, 1780, MaxEmerge Plus, XP and Pro, also Deere-Orthman DR Series Planters 12,16, 18, 24.





To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**FERTILIZER DISC OPENER ASSEMBLIES**

PART NO.	REPLACES	DESCRIPTION
<b>864-SMA27458</b>	AA27458, AA57466	Fertilizer Disc Opener Assembly, 13.5" Blade. Uses Stamped Bearing Housing and SMA52024 Dust Cap. 150 Per Box
<b>864-HD27458</b>	AA27458	Fertilizer Disc Opener Assembly Heavy Duty, 13.5" Blade. Uses Machined Bearing Housing and Attaches Directly to Fertilizer Bar. No Ring/Spacer Required. 100 Per Box
<b>864-HD57466</b>	AA57467	Fertilizer Disc Opener Assembly, 13.5" Blade. Uses Machined Bearing Housing and Attaches Directly to Row Unit. Ring/Spacer Included. 100 Per Box
DUST CAP & NUTS		
<b>514-32457C</b>	—	Metal Dust Cap for Fertilizer Disc Opener Assembly HD27458, HD57466
<b>488-1237188</b>	14H821	Nut for Disc Opener Assembly - Right Hand
<b>488-1237189</b>	14H944	Nut for Disc Opener Assembly - Left Hand



Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**ROW UNIT PARTS & ACCESSORIES**

PART NO.	REPLACES	DESCRIPTION
488-123056	AA31217, GA6056	Closing wheel arm for models 7000, 7100 and Kinze planter.
864-SMA26311	A26311	Spiral pin, 1/4" x 1-1/4" for wheel arm 50 per bag. ( Sold full bags only)
488-1237340	AA37552	Closing wheel arm for models 1760, 1780, 7200 and 7300 planters and attachments.
488-123723	A48430	Cam collar bushing - RH. For 1237340 closing wheel arm.
488-1236081	A53242	Non-eccentric bushing for 123056 closing wheel arm on models 7200, 7300. Shaft collar bushing for disc closing attachment on 1760, 1780.
864-SMA53118	A53118	Support Stop for models 7200, 7300 MaxEmerge and 1700.
864-SMA93258	A61351, A69141, A86763	Closing wheel arm for models MaxEmerge Plus, XP, Pro XP, Pro, 1750 and 1530, 1535 drills.
864-SMA93258KIT	KIT	Closing wheel arm kit. Includes cast iron wheel arm, support, T-handle, spring, bushings and fasteners. Wheels not included. For MaxEmerge 2, Plus, Pro, XP, XP Pro and 1530, 1535 Drills.
864-SMA55888	A55888	Wheel arm bushing for SMA61351
488-123054	AA23116	Closing wheel spring with plug for models 7000, 7100.
488-123052	AB10071	Down pressure spring with plug for models 7000, 7100.
488-123068	AA28046, AA35876	Heavy duty down pressure spring with plug. 
488-123044	A43609	Standard down pressure spring for models 7200, 7300.
488-123132	A47132	Closing wheel spring for models 7200, 7300 and 7340.
851-SMAAB16768	AB16768	Press wheel bearing for cotton attachment. 
864-SMA16787	AB16787	Press wheel bracket only.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**CLOSING WHEELS, TIRES & BEARINGS**

PART NO.	REPLACES	DESCRIPTION
<b>With Steel Wheel Halves</b>		
<b>864-SMA39968M</b>	AA39968	Closing wheel assembly 1" x 12", bearing SMA5203PP2, for model 1700.
<b>864-SMA33297</b>	—	Closing wheel assembly 1" x 12", bearing SMA885152, for models 7000, 7100.
<b>With Nylon Wheel Halves</b>		
<b>864-SMA43899</b>	AA43899	Closing wheel assembly 1" x 12", bearing SMA885152, for models 7000, 7100, grain drills 515, 520.
<b>864-SMA43898</b>	AA43898	Closing wheel assembly 1" x 12", bearing SMA5203TN1, cap not included. For models 7200, 7300
<b>864-SMA39968</b>	AA39968	Closing wheel assembly 1" x 12", bearing SMA5203PP2, for model 1700.
<b>013-11240</b>	A6434	Closing wheel assembly 1" x 12". Uses bearing 5203KYY2
<b>Closing Wheel Halves &amp; Tire</b>		
<b>013-11200</b>	—	Black wheel half for SMA43899, 1" x 12" wheel assembly
<b>013-112SC</b>	A22325	Closing wheel tire, 1" x 12"
<b>BEARINGS</b>		
<b>864-SMA35638P</b>	AA35638	Closing wheel bearing kit for 7200, 7300 Max-Emerge 2. Also used on 750 grain drill and 886 row crop cultivator. Used in early SMA43898 nylon wheels and all AA34211 metal wheels.
<b>851-SMA5203TN1</b>	2-203JD	Double-row bearing 17mm I.D. for planter and drill wheels. Used in SMA35638 for SMA43898 planter wheel. AgSmart
<b>851-SMA885152</b>	AA35741, AA21015	Stem bearing with hole, fits closing and press wheel on 7000-7100 and CIH 800 planters. AgSmart
<b>308-5203KYY2</b>	AN212132	Double-row ball bearing 5/8" I.D. and 2-lip seal. Fits SMA39968 and many 4.5" x 16" wheel assemblies. Fafnir
<b>851-SMA5203PP2</b>	AN212132	Double-row ball bearing 5/8" I.D. and 3-lip seal. Fits SMA39968 and many 4.5" x 16" wheel assemblies. AgSmart






Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



**WE SUPPLY SUCCESS**

**WWW.SMALINK.COM**

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**SEED TUBES & ACCESSORIES**

PART NO.	REPLACES	DESCRIPTION
864-SMA55880	A48302, A55880	Seed tube with monitor hole for models 7200, 7300, 7340.
864-SMA26183	A26183	Seed tube with monitor hole for 7000, 7100. 24 per carton
864-SMA80203	A80203	Seed Tube Guard for XP and XP Pro Row Units Before SN 720100
864-SMA97107	A97107	Seed Tube Guard for XP and XP Pro Row Units After SN 720100
864-SMA25925	A57071	Seed tube no monitor hole for 7000, 7100. 24 per carton
864-SMA67780	AA67780	Seed tube kit. Smooth-faced translucent tube is made of polycarbonate material and allows for sensor to be mounted externally. This provides a completely smooth surface for the seed which results in a more consistent seed spacing. Compatible with all existing John Deere® planter seed sensors. Includes ensor seal and two nylon ties. For 1530, 1535, 1700 series, 7300, XP, XP-Pro.
864-SMA54755	AA54755	Seed tube guard with holder. Includes two spiral pins.
864-SMA41692	A61577, A41692	Guard-scraper (cast frog) for models 1530, 1535, 1700, 1760, 1786, 7000 thru 7340.
864-SMA48879	A48879	Opener guard for models MaxEmerge 2, MaxEmerge Plus, XP, XP-Pro, 1530, 1535, 1760, 1780, 7200, 7300.
488-123103	A41692	Guard-scraper (cast frog)
488-1230841	A41826	Roll pin used to attach SMA41692 guard-scraper. 
488-1230104	A42737	Seed depth stop for models 7000, 7100. 
488-123218	—	Parallel arm bushing 5/8" ID x 7/8" OD x 9/16" long. 



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**SPOOLS & SPROCKETS**

PART NO.	REPLACES	DESCRIPTION
<b>864-SMA22838</b>	A22838	Plastic idler spool 1-9/16" diameter for seed hopper chain on models 7000 to 7340
<b>864-SMA30968</b>	B30968 B30969	Plastic idler spool 1-7/8" diameter for models 7000 to 7340
<b>864-SMA22628</b>	A22628	Plastic idler spool 2-1/4" diameter for drive wheel on models 7000 to 7340
<b>488-123646</b>	AA35646	Hanger bearing, 7/8" hex bore
<b>310-SMA17383</b>	A17383	Hitch lift pin for model 7000 - 7100, MaxEmerge and Kinze. (Category 2 & 3)
<b>514-JD32729</b>	AA32729	Idler sprocket, 1/2" bore, #40 chain, 14 tooth
<b>514-JD32776</b>	AA32776	Idler sprocket, 1/2" bore, #50 chain, 12 tooth
<b>488-1231212</b>	G1K212	Idler update kit
<b>514-JD22097</b>	AA22097, JD9260, G2100-03	7/8" hex bore planter bearing
<b>514-JD28271</b>	AA28271	7/8" hex bore planter bearing, seed transmission and wheel support.



Listed parts are made by various manufacturers and are not original equipment parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of them is for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.





Aftermarket

# PLANTER PARTS FOR JOHN DEERE® SLICER KNIVES & MOUNTING HARDWARE



PART NO.	REPLACES	DESCRIPTION
<b>918-TF001785</b>	001785	Slicer Knife Made from Cast Chrome Material. Used on MaxEmerge with Curved Seed Tube.
<b>918-TF001985XP</b>	001985XP	Slicer Knife Made from Cast Chrome Material. For XP Planters.
<b>918-STCLIP</b>	001785XPCLIP	Seed Tube Clip for 001785, 001985 Slicing Insert.
<b>693-1786P</b>	—	Fastener Kit for TF001785 (required). 5/16" x 7/8" Slotted Head Bolt, 5/16" Locking Jam Nut and 5/16" x 3/4" Roll Pin. (not shown)
<b>918-TF954141</b>	954141	7C Slicing Blade with J-Bolt for 959600 Lister. Also for Case Planter.
<b>918-TF410000</b>	410000	10C Slicing Blade with Square Head Bolt for 100040 Opener. Also for Case Planter.
<b>918-1785VS</b>	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For MaxEmerge Pre-2006 and Kinze 2000 Series.
<b>918-1985VS</b>	—	Includes Slicer, Fertilizer Tube, Mounting Hardware For MaxEmerge after 2006, XP, and XP Pro.

## GAUGE WHEEL ARMS

PART NO.	REPLACES	DESCRIPTION
<b>864-SMA7017</b>	AA41968, AA54179, AA79647	Gauge wheel arm kit with 2 bushings. For 7000-7300, MaxEmerge 2, MaxEmerge Plus and 1530, 1535 grain drills.
<b>864-SMA79648</b>	A79648	Gauge wheel arm kit with 1 bushing, for XP planters.
<b>864-SMA57057</b>	A57057	Threaded sleeve for 1" bolt
<b>864-SMA57058</b>	A57058	Threaded sleeve for 5/8" bolt
<b>864-SMA26311</b>	A26311	Heavy duty spirol pin, 1/4" x 1-1/4" for wheel arm 50/bag. Sold full bags only.
<b>864-SMA97866</b>	A97866, AA82684	Gauge Wheel Arm Kit with Grease Zerk and Set Screw. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 Washer, Bolt M16x100mm. Fits MaxEmerge Plus, Pro Series.
<b>864-SMA92817</b>	A92817	Gauge Wheel Arm Kit with Grease Zerk. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 ea. Bolts M16X100mm, M17x70mm. Fits Series 1700 s/n 760101 & up, DB s/n 755001 & up.



SMA7017



SMA97866



SMA92817



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**GAUGE WHEELS**

PART NO.	REPLACES	DESCRIPTION
<b>864-SMA9Y</b>	AA32046 AA35392	Gauge wheel 4.5" x 16" assembly, <b>Yellow Steel Wheel</b> , chined tire, bearing SMA88515240. For models 7000, 7100, 7300, MaxEmerge before 1992.
<b>864-SMA9B</b>	AA32046, AA35392	Gauge wheel 4.5" x 16" assembly, <b>Black Steel Wheel</b> , chined tire, bearing SMA88515240. For models 7000, 7100, 7300, MaxEmerge before 1992.
<b>864-SMA132B</b>	AA41359	Gauge wheel 4.5" x 16" assembly, <b>Black Steel Wheel</b> and a Nylon Cover, chined tire, bearing SMA88515440. For models MaxEmerge Plus, Pro. (SMA assembly)
<b>864-SMA130B</b>	AA41359	Gauge wheel 4.5" x 16" assembly, <b>Black Nylon/Steel Wheel</b> , chined tire, bearing SMA88515440. For models MaxEmerge Plus, Pro. (Carlisle assembly)
<b>864-SMA99Y</b>	AA41359	Gauge wheel 4.5" x 16" assembly, <b>Yellow Steel Wheel</b> , chined tire, bearing SMA88515440. For models 7300, MaxEmerge Two built after 1991, 1700, MaxEmerge Plus.
<b>864-SMA99B</b>	AA41359	Gauge wheel 4.5" x 16" assembly, <b>Black Steel Wheel</b> , chined tire, bearing SMA88515440. For models 7300, MaxEmerge Two built after 1991, 1700, MaxEmerge Plus.
<b>864-SMA142B</b>	AN281360	Gauge wheel 4.5" x 16" assembly, <b>Black Steel Wheel</b> and a Nylon Cover, chined tire, bearing SMA5203PP2. For models MaxEmerge Plus, Pro. (SMA assembly)
<b>864-SMA140B</b>	AN281360	Gauge wheel 4.5" x 16" assembly, <b>Black Nylon/Steel Wheel</b> , chined tire, bearing SMA5203PP2. For models MaxEmerge Plus, Pro. (Carlisle assembly)



SMA132B



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



**WE SUPPLY SUCCESS**

**WWW.SMALINK.COM**

# PLANTER PARTS FOR JOHN DEERE®

## GAUGE WHEEL HALVES, TIRES & BEARINGS



SMA88515440




SMA885152



SMA88515240



PART NO.	REPLACES	DESCRIPTION
<b>GAUGE WHEEL HALVES &amp; TIRES</b>		
<b>864-730014</b>	—	Wheel half 4.5" x 16" black with eight outside bolts for use with SMA142B. Will fit SMA9B, 98B and 99B.
<b>864-416CV01</b>	—	Nylon wheel cover 4" x 16" black for use with SMA142B.
<b>864-9570Y</b>	A22780	Yellow wheel half for SMA9Y wheel assembly
<b>864-9570B</b>		Black wheel half for SMA9B wheel assembly
<b>013-45160C</b>	A22884	Gauge wheel tire 4.5" X 16" for SMA9, 98 and 99. For models 610, 750, 1560, 1565, 1590, 1690, 1850, 1860, 1865, 1869, 1890, 1895.
<b>013-4516XP</b>	A77881, A84062	Offset planter tire 4.5" x 16 for MaxEmerge- Plus, XP; Pro XP, 1530, 1535, 1560, 1565, 1690, 1705, 1715, 1725, 1735, 1755, 1765, 1785, 1795, 1860, 1895, 1990.
<b>013-6512CST</b>	A58851	Gauge wheel planter tire 6.5" x 12" smooth crown
<b>BEARINGS</b>		
<b>864-SL4X16</b>	A25915, B118	Bearing sleeve, for SMA9 wheel assembly.
<b>851-SMA885152</b>	AA35741, AA21015,	AgSmart stem bearing with hole, for closing and press wheel on 7000-7100 & C/IH 800. SL4X16 sleeve required on press wheel. Replaces Kinze A2022, C/IH 128558C91.
<b>851-SMA88515240</b>	AA35951	AgSmart stem bearing with hole for 4"x16" wheel. No sleeve required.
<b>851-SMA885154B</b>	AN131668	Groove style stem bearing, short. 
<b>851-SMA88515440</b>	—	AgSmart Groove style stem bearing for 4"x16" wheel. No sleeve required.
<b>308-5203KYY2</b>	AN212132	Double-row ball bearing 5/8" I.D. & 2-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
<b>851-SMA5203PP2</b>	AN212132	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket  
**PLANTER PARTS FOR JOHN DEERE®**  
**CHAIN ASSEMBLIES**

All Assemblies Include One Connector

PART NO.	REPLACES	DRIVE CHAIN FOR	LINKS
<b>7000 - 7100 SERIES</b>			
673-P204038	AA21484	Countershaft to seed transmission	37
673-P204044	AA21483	Seed transmission	43
673-P205050	AA28486	Wheel drive for 7100	49
673-P205053	AA37881	Wheel drive for 4N, 4W, 6N, 7000, 1 offset	51
673-P205056	AA22372	Wheel drive for 6W, 8N, & 12N, 7000	55
673-P41110	A26048	Insecticide / herbicide	109
673-P4198	AA20978	Seed meter	97
<b>7200 - 7300 SERIES</b>			
673-P40105	AA32249	Countershaft to seed transmission, 1 offset	103
673-P41102	AA33049	Plateless seed meter	101
673-P41104	AA33048	Insecticide / herbicide	103
673-P41105	AA42795	Plateless seed meter, 1 offset	103
673-P41112	AA33060	Vacuum seed meter for 1720, 1760, 1780, MaxEmerge Plus & XP	111
673-P41113	AA43718	Vacuum seed meter for MaxEmerge 2 after 1992	112
673-P50113	AA37980	Wheel drive for 7200, 1 offset	111
673-P50116	AH131563	Wheel drive for 7300	115
<b>1700 SERIES</b>			
673-P40104	AA35365	Driver reverser for 1780	103
673-P40105	AA32249	Countershaft to seed transmission for 1770, 1 offset	103
673-P40128	AA35503	Seed transmission drive for 1780	127
673-P4160	AA35927	Jackshaft drive chain for 1770	59
673-P50140	AA32887	Wheel drive for 1770	139



**NOTE:**  
 NOT ALL CHAIN ASSEMBLIES STOCKED AT ALL LOCATIONS



Aftermarket  
**PLANTER PARTS FOR KINZE**

**DISC OPENER & COULTER BLADES**



Right



Left



1785VS



PART NO.	REPLACES	DESCRIPTION
<b>864-SMA8324</b>	GA8324	Seed disc opener assembly heavy duty, 15" x 3.5mm blade. Standard Pack 120 Per Box
<b>845-SMA9254</b>	D9254	16" wavy coultter blade. 13-wave 3/4" , 4mm thick (8ga), 4" center hole, 5-1/4" bolt circle with 4 bolt holes 17/32". – For More Coultter Blades See Section 1 –
SCRAPERS		
<b>488-123012L</b>	GA2012L	Scraper, left hand for planter disc openers
<b>488-123012R</b>	GA2012R	Scraper, right hand for planter disc openers
<b>488-1237104</b>	GD1104, GD1033	Dirt shield for disc openers
SLICER KNIFE		
<b>918-TF001785</b>	001785	Slicer knife made from cast chrome material. Used on Row Unit with curved seed tube.
<b>918-1885VS</b>	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For Kinze 3000 Series Row Units.
<b>918-1785VS</b>	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For Kinze 2000 Series.
SEED TUBES & ACCESSORIES		
<b>864-SMA26183</b>	GR0667	Seed tube with monitor hole. 24/ctn.
<b>864-SMA25925</b>	GD1130	Seed tube without monitor hole. 24/ctn.
<b>864-SMA41692</b>	—	Guard-Scraper (cast frog)
<b>488-1230841</b>	GB10241	Roll pin used to attach guard-scraper SMA41692
<b>488-123102</b>	GB0102	Handle for depth adjustment assembly on model GB0102
<b>488-1230104</b>	GB0104	Seed depth stop
<b>488-123218</b>	GB0218	Parallel arm bushing 9/16" long, 5/8" I.D. x 7/8" O.D.




To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

# PLANTER PARTS FOR KINZE

## GAUGE WHEELS & ACCESSORIES

PART NO.	REPLACES	DESCRIPTION
<b>GAUGE WHEELS</b>		
<b>864-SMA9W</b>	A2021	Gauge wheel 4.5" x 16" assembly, <b>Off-White Steel Wheel</b> , chined tire, bearing SMA88515240. For row unit
<b>864-SMA98W</b>	GA7949	Gauge wheel 4.5" x 16" assembly, <b>Off-White Steel Wheel</b> , chined tire, bearing SMA5203PP2.
<b>864-SMA142W</b>	GA7949	Gauge wheel 4.5" x 16" assembly, <b>Off-White Steel Wheel</b> and a nylon cover, chined tire, bearing SMA5203PP2.
<b>GAUGE WHEEL HALVES &amp; TIRES</b>		
<b>864-416CV03</b>	—	Nylon wheel cover 4" x 16" off-white for use with SMA142W.
<b>864-9570W</b>	—	White wheel half for SMA9W wheel assembly
<b>864-640038</b>	—	Wheel half 4.5" x 16" off-white with eight outside bolts for use with SMA98W & 142W.
<b>013-204008</b>	GD1086	Gauge wheel tire 4.5" x 16 for SMA -9, 98 & 99 also Kinze / White 6100 series planters.
<b>GAUGE WHEEL ARMS</b>		
<b>488-1236614</b>	GA6614	Gauge wheel arm new style. Threaded right hand 5/8"-11, smooth sleeve.
<b>864-SMA26311</b>	—	Spiral pin 1/4" x 1-1/4" heavy duty for wheel arms 50/bag. (Sold Full Bags Only)
<b>BEARINGS</b>		
<b>864-SL4X16</b>	GB0118	Bearing sleeve, for SMA9 wheel assembly.
<b>851-SMA885152</b>	—	AgSmart stem bearing with hole.
<b>851-SMA88515240</b>	AA35951	AgSmart stem bearing with hole for 4"x16" wheel. No sleeve required.
<b>308-5203KYY2</b>	GA6171	Double-row ball bearing 5/8" I.D. and 2-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
<b>851-SMA5203PP2</b>	GA6171	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



Aftermarket  
**PLANTER PARTS FOR KINZE**

**CLOSING WHEELS & ACCESSORIES**



PART NO.	REPLACES	DESCRIPTION
<b>864-SMA43899</b>	—	Closing wheel assembly 1" x 12" nylon wheel halves, bearing SMA885152.
<b>013-11240</b>	A6434	Closing wheel assembly 1" x 12", double-row ball bearing 5/8" I.D. 5203KYY2
<b>013-112SC</b>	GA108	Closing wheel tire, 1" x 12"
<b>851-SMA5203PP2</b>	GA6171	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
<b>488-123056</b>	GA6056	Closing wheel arm for Kinze row units built before 1993.
<b>864-SMA26311</b>	—	Spiral pin, 1/4" x 1-1/4" for wheel arm. 50 per bag. (Sold Full Bags Only)
<b>488-123113</b>	GB0113	Arm stop for planter closing wheel arm assembly GB0113
<b>488-123054</b>	GA2054	Closing wheel spring with plug
<b>488-123052</b>	GA2052	Down pressure spring with plug
<b>488-123249</b>	GD8249	New style down pressure spring for quick adjustment

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




# PLANTER PARTS FOR KINZE

## IDLER ARMS, SPOOLS & SPROCKETS



1231212

PART NO.	REPLACES	DESCRIPTION
864-SMA22838	—	Plastic idler spool 1-9/16" diameter for seed hopper chain on models 7000 to 7340
864-SMA30968	GD1067	Plastic idler spool 1-7/8" diameter for models 7000 to 7340
864-SMA22628	—	Plastic idler spool 2-1/4" diameter for drive wheel on models 7000 to 7340
310-SMA17383	—	Hitch lift pin for model 7000 - 7100, MaxEmerge and Kinze. (Category 2 & 3)
488-123057	GA2057	Drive sprocket 9/16" hex bore
488-1231212	G1K212	Idler update kit
488-123213	G1K213	Idler arm for G1K213 herbicide drive



## CHAIN ASSEMBLIES

All Assemblies Include One Connector



PART NO.	REPLACES	DESCRIPTION
673-P4196	G3303-96	Mechanical seed meter, push unit. #41, 95 links
673-P4198	G3303-98	Mechanical seed meter, pull unit. #41, 97 links
673-P41100	G3303-100	Vacuum seed meter, Push Unit. #41, 99 links
673-P41108	G3303-108	Vacuum seed meter, insecticide or pull unit. #41, 108 links
673-P41114	G3303-114	Mechanical insecticide, #41, 113 links
673-P40132	G3310-132	Connect wheel drive model 3000. #40, 131 links
803-US4080	G3310-80	Planter chain #40 Diamond USA, 179 links
803-US4092	G3310-92	Planter chain #40 Diamond USA, 91 links
803-US40100	G3310-100	Planter chain #40 Diamond USA, 199 links
803-US40110	G3310-110	Planter chain #40 Diamond USA, 109 links
803-US40118	G3310-118	Planter chain #40 Diamond USA, 117 links
803-US40132	G3310-132	Planter chain #40 Diamond USA, 131 links
803-US40208	G3310-208	Planter chain #40 Diamond USA, 207 links
803-US40226	G3310-226	Planter chain #40 Diamond USA, 225 links

